

**SP-589**  
May 2005

*Proceedings of the*

# **Seventh European Space Power Conference**

9-13 May 2005  
Stresa, Italy

*Organised by*  
**European Space Agency (ESA)**

*In Cooperation with*



*Cosponsored by*



**European Space Agency  
Agence spatiale européenne**

*Executive Programme Committee*

P. Perol, European Space Agency  
L. Giardino, Galileo Avionica, Italy

*Programme Secretary*

J. Sanchez, ESTEC/ESA

<i>Publication</i>	Proceedings of the '7 <sup>th</sup> European Space Power Conference' Stresa, Italy (ESA SP-589, May 2005)
<i>Edited by</i>	A. Wilson ESA Publications Division
<i>Published and distributed by</i>	ESA Publications Division ESTEC, Noordwijk, The Netherlands
<i>Price</i>	EUR 70
<i>ISBN</i>	92-9092-900-6
<i>ISSN</i>	1609-042X
<i>Copyright</i>	© 2005 European Space Agency

# CONTENTS

## **The Dermot O’Sullivan Plenary Session**

*Chairs: L. Giardino (Galileo Avionica) & P. Perol (ESA/ESTEC)*

Evolution of Fully European Triple GaAs Solar Cell  
*G. Strobl, RWE Space Solar Power GmbH, Germany, et al.*

Advanced DC/DC Converters towards Higher Volumetric Efficiencies for Space Applications  
*H. Shaw, NASA Goddard Space Flight Center, USA, et al.*

The Design and Performance of a Power System for the Galileo System Test Bed (GSTB-V2/A)  
*C. Clark, Surrey Satellite Technology Ltd., United Kingdom, et al.*

Overview and Preliminary In-Orbit Behaviour of the first Li-Ion Batteries used onboard Eutelsat W3A GEO Telecommunications Satellite Mission  
*P. Mottesco, EADS Astrium, France, et al.*

## **High Efficiency Solar Cells**

*Chairs: R. Campesato (CESI SpA) & G. Strobl RWE Solar GmbH)*

Recent Developments in III-V Multi-junction Space Solar Cells  
*A.W. Bett, Fraunhofer Institute for Solar Energy Systems ISE, Germany, et al.*

Manufacturing of Triple Junction Space Solar Cells using Large MOCVD Reactors  
*R. Campesato, CESI Spa, Italy, et al.*

InAs Quantum Dots for Space Solar Cells  
*R. Raffaele, Rochester Institute of Technology, USA, et al.*

Assessment of the Use of 100 $\mu$ m Thin Germanium Wafers for High Efficiency Space Solar Cells  
*W. Geens, Umicore, Belgium, et al.*

Development of Very Thin (< 30 $\mu$ m) Germanium Substrates enabling High-Voltage Integrated Multi-Junction Modules  
*G. Flamand, IMEC, Belgium, et al.*

## **Power Conversion Techniques 1 & 2**

*Chairs: J-P. Catani (CNES), H-V. Heyer (Kayser-Threde GmbH),  
E. Lapeña Padilla (Crisa-Astrium EADS)  
& A. Weinberg (Surrey Satellite Technology Ltd.)*

Maximum Power Point Tracker Controller for Unregulated Bus Architecture  
*L. Croci, Galileo Avionica SpA, Italy, et al.*

The Battery Discharge Regulator of the Galileo Satellite Test Bed-V2/A Power System using the Weinberg Topology  
*A.H. Weinberg, Surrey Satellite Technology Ltd., United Kingdom*

Design and Testing of Charging Control Circuits for Commercial Li-Ion Batteries with Application to Spacecraft Power Storage  
*P. Tortora, Università di Bologna, Italy, et al.*

The Control Problem of Maximum Power Point Tracking in Power Systems  
*F. Tonicello, ESA/ESTEC, The Netherlands*

Isolated 28V to 3.33V, 9A Low Voltage Converter Module for Space Applications  
*F. Stögerer, Austrian Aerospace GmbH, Austria, et al.*

Central Payload Power Supply for Highly Integrated Payload Suites on Future Small Satellites Missions  
*L. Fontani, C.A.E.N. Aerospace S.r.l., Italy, et al.*

Segregated Maximum Power Point Tracking based on Step-Up Regulation  
*P. Rueda, ESA/ESTEC, The Netherlands; B. van der Weerd, Saxion Hogeschool Enschede, The Netherlands*

Non-Sequential Power Bus for LEO Applications  
*P. Alcindor & C. Clark, Surrey Satellite Technology Ltd., United Kingdom*

Battery Discharge Regulator with Parallel Power Processing  
*A. Ferreres, University of Valencia, Spain, et al.*

Implementation of Current Mode Control in the Forward Active Clamp Topology  
*C. Maillard & A. Negulescu, ALCATEL ETCA s.a., Belgium*

## **Power System Modelling Techniques**

*Chairs: W. Denzinger (EADS Astrium) & G.F. Volpi (Alenia Spazio Laben SpA)*

Pspice Thermo-Electric Model of the Aeolus Electrical Power System  
*G. Simonelli, ESA/ESTEC, The Netherlands, et al.*

OSSEM, a Saber© Tool Developed for the MYRIADE EPS  
*S. Fredon & Ch. Elisabellar, CNES, France*

A Control Method of the Large Signal Stability with RPC in JEM Electric Power Distribution System  
*T. Okamura, Mitsubishi Electric Corporation, Japan, et al.*

## **Control Theory, Modelling and Analysis**

*Chairs: W. Denzinger (EADS Astrium) & G.F. Volpi (Alenia Spazio Laben SpA)*

Model of a 6.25 kW Weinberg Converter with Current Programming Control,  
Featuring Automatic CCM and DCM Detection for Space Station Application  
*A. Ciccolella, ESA/ESTEC, The Netherlands*

Design of Control Loops for Pulsed Load Power Supplies  
*A. Negulescu & C. Maillard, Alcatel-ETCA s.a., Belgium*

Application of Linear Difference Correction for a Heightening of Speed of Control  
Systems of Converters  
*A.S. Iskhakov, Central Research Institute 'Kurs', Russia, et al.*

## **Energy Storage Flight Performance and Battery Systems**

*Chairs: R. Gitzendanner (Lithion/Yardney Technical Products, Inc.)  
& P. Tastet (CNES)*

Cluster II Batteries and the 2nd Mission Extension  
*M. Schautz, ESA/ESTEC, The Netherlands, et al.*

The Comparison of Simulated Lithium-Ion Battery Performance with In-Orbit Telemetry  
*C. Thwaite, AEA Technology plc, United Kingdom, et al.*

In Orbit Performance of the SMART-1 Li-Ion Battery  
*J.P. Semerie, SAFT Advanced Batteries, France, and G. Dudley, ESA/ESTEC, The Netherlands*

The On-orbit Performance and Simulation Tests of the Lithium-Ion Secondary Battery  
for the Interplanetary Satellite 'HAYABUSA'  
*Y. Sone, JAXA, Japan, et al.*

Cosmo-SkyMed – First Lithium Ion Battery for Space Based Radar  
*A. Csizmar, COM DEV Ltd, Canada, et al.*

Li-Ion Modular Battery Pack COTS Technology Composed for Multimission  
High Performance Microsatellites  
*C. Del Vecchio Blanco, Università degli Studi di Napoli Federico II, Italy, et al.*

A Feasibility Study of Commercial Laminated Lithium-Ion Polymer Cells for Space  
Applications – Endurance Testing for Space Environment  
*X. Wang, JAXA, Japan, et al.*

## **Specialised Circuit Functions**

*Chairs: A. Capel (University Rovira i Virgili) & M. Gollor (EADS Astrium)*

POWERShield: A Novel Approach to Radiation Tolerant Power MOSFETs  
*E. Applebaum, SSDI Solid State Devices Incorporated, USA*

Hybrid Circuit for Spaceborne DC/DC Converters Control  
*M. Cantamessa & A. Antimiani, Galileo Avionica, Italy*

Solar Array Maximum Power Point Tracking with Two Comparators  
*Ch. Delépaut, Alcatel ETCA s.a., Belgium*

The 800 Amps Wide Range BUS Current Sensor for COSMO-SkyMed Satellite  
*G.M. Perusini, Alenia Spazio SpA and E. Scorzafava, ASI; Italy*

Single-Ended Current Sensor  
*S.H. Weinberg & M. Navarro, ESA/ESTEC, The Netherlands*

## **Solar Generator Systems and Mechanical Aspects 1 & 2**

*Chairs: E. Bongers (Dutch Space bv), F. Geyer (Alcatel Space Industries),  
G. Beltrame (Galileo Avionica SpA) & C. Paarmann (EADS Astrium)*

Structural Design of Flexible Solar Generators  
*K. Seifart, Hoch Technologie Systeme GmbH, Germany, et al.*

Pleiades HR Solar Array: Fair European Sharing Cooperation  
*Y. Combet, Alcatel Space, France, et al.*

Thin Film Demonstrator: a First Step Toward Thin Film Solar Array  
*M-L. Fille, ESA/ESTEC, The Netherlands, et al.*

COMED – Flexible Solar Generator  
*G. Küchler, EADS Astrium GmbH, Germany, et al.*

Solarbus Solar Array. Innovative Light Weight Mechanical Architecture with Thin Lateral Panels  
Deployed with Shape Memory Alloy Regulator  
*L. D'Abrigeon, Alcatel Space Industries, France, et al.*

Deployment Analysis and Model Correlation with Flight Data  
*A. Carpine & G. Ladurée, Alcatel Space Industries, France*

## **Solar Generators for Science and Exploration Missions**

*Chairs: E. Bongers (Dutch Space bv) & F. Geyer (Alcatel Space Industries)*

In-Orbit Evolution of the Cluster-II Solar Arrays & Forecasting Tool  
Facing a Second Mission Extension  
*F. Dentone, ESA/ESOC, Germany, et al.*

Advanced Solar Cells for Missions to Mars  
*R. Campesato, CESI SpA, Italy, et al.*

Solar Array for Venus Express Mission  
*R. Krautwald, EADS Astrium GmbH, Germany*

## **Thin Film Cells/Arrays**

*Chairs: L. Gerlach (ESA/ESTEC) & H-W. Schock (Hahn-Meitner Institut)*

Flexible and Lightweight Cu(In,Ga)Se<sub>2</sub> Thin Film Solar Modules for Space Applications

*D. Herrmann, Zentrum fuer Sonnenenergie- & Wasserstoff-Forschung Baden-Wuerttemberg (ZSW), Germany, et al.*

Development of a Thin, High-Emissivity Coating for Flexible Solar Cells

*G. Oomen, Dutch Space BV, The Netherlands, et al.*

Requirements for Thin Film Solar Arrays and the Development Status of a New Solar Cell Blanket Concept

*R. Zwanenburg & M. Kroon, Dutch Space BV, The Netherlands*

Flexible Solar Cells for Space: A New Development Based on Chalcopyrite Thin Films

*A. Neisser, Hahn-Meitner Institut GmbH, Germany, et al.*

Flexible Thin Film Solar Cells: Steps Towards Space Applicability

*K. Otte, Solarion GmbH, Germany*

Optical Coating for Improvement in Thermal Radiative Properties of Cu (In, Ga) Se<sub>2</sub>

Thin Film Solar Cells for Space Applications

*K. Shimazaki, JAXA, Japan, et al.*

First Thin Film Festival

*Ph. Samson, Alcatel Space, France*

## **Lithium Ion Management**

*Chairs: Takefumi Inoue (Japan Storage Battery Co. Ltd.)  
& J-P. Semerie (SAFT Advanced Batteries)*

Lithium-Ion Technology for Aerospace Applications – Advancing Battery Management Electronics

*R. Gitzendanner, Lithion/Yardney Technical Products, Inc., USA et al.*

Lithium-Ion Battery Cell Isolation Switches

Amazing Discoveries when Conducting Life Tests at Elevated Temperature

*E. Rudoy, NEA Electronics Inc., USA, et al.*

Li-Ion Battery By-Pass Removal Qualification

*Y. Borthomieu & E. Pasquier, SAFT Advanced Batteries, France*

Fast-Charging in Li-Ion Batteries

*J. Lopez, Universidad de Oviedo, Spain, et al.*

## **Lithium Ion Cell Technology**

*Chairs: J-P. Semerie (SAFT Advanced Batteries)  
& Takefumi Inoue (Japan Storage Battery Co. Ltd.)*

SAFT VES180 SA High Specific Energy Cell Qualification  
*Y. Borthomieu & J-P. Semerie, SAFT Advanced Batteries, France.*

Supercapacitors and Lithium-Ion Cells Self Discharge Current: Development  
of a New Measurement Method and Test Bench  
*H. Barde, EADS Astrium, France*

Development of Low Temperature Lithium-Ion Cells for Planetary Landers  
*N. Russel, AEA Technology plc, United Kingdom, et al.*

## **Science Spacecraft Missions**

*Chairs: H. Barde (EADS Astrium) & J. Capulli (Motorola Inc.)*

The Messenger Spacecraft Power System Design and Early Mission Performance  
*G. Dakermanji, The Johns Hopkins University, USA, et al.*

Battery Tests and Simulations for the Re-Scheduled Huygens Mission  
*A. De Luca & Th. Blancquaert, ESA/ESTEC, The Netherlands, et al.*

The New Horizons Spacecraft Power System Electronics  
*U. Carlsson, The Johns Hopkins University, USA*

SMART-1 Power System Performance after 1.5 Years in Orbit  
*P. Rumler, ESA/ESTEC, The Netherlands, et al.*

UNISAT-3 Power System  
*F. Santoni, Universita degli Studi di Roma 'La Sapienza', Italy, et al.*

Power System for the Herschel & Planck Spacecraft  
*B. Jackson & P. Rueda, ESA/ESTEC, The Netherlands*

Power Control System for the AGILE Satellite  
*G. Ebale, BLU Electronic srl, Italy, et al.*

## **Electronic Power Conditioners and Power Processing Units**

*Chairs: M. Gambarara (Galileo Avionica SpA) & H. Jensen (Terma Elektronik A/S)*

Compact High Voltage Power Conditioners for Field Emission Electric Propulsion (FEEP)  
*M. Gollor & K. Breier, EADS Astrium, Germany*

High Power Processing Unit for Stationary Plasma Thruster  
*E. Bourguignon, Alcatel-Etca s.a., Belgium, et al.*

High Efficiency DC/DC Converter for Solid State Power Amplifier  
*K. Lund & L.S. Pedersen, International Rectifier, Denmark, et al.*

Power Supply and Control Unit for Gridded Ion Thruster  
*E. Bourguignon & J.M. Labille, Alcatel-Etca s.a., Belgium*

Power Control Unit for  $\mu\text{N}$  Propulsion System  
*L. Ceruti & M. Magnifico, Galileo Avionica, Italy*

Design of a High Voltage Power Supply Providing a Force Field for a Fluid Experiment  
*F. Herty, EADS Astrium, Germany*

## **Test Methods and Space Environment Effects on Solar Generators**

*Chairs: S. Bailey (NASA) & T.J. Gómez-Rodríguez (INTA-Spasolab)*

Secondary Arcs on Solar Generators – EMAGS 2 Test Campaign Ground Testing Techniques  
*M-L. Fille, ESA/ESTEC, The Netherlands, et al.*

Forecasting Influence of Solid Microparticles on Space Craft Solar Array  
*V.A. Letin, Scientific Production Amalgamation 'KVANT', Russia, et al.*

Spectral Irradiance Measurements of Pulsed Solar Simulators  
*G. Jüngst, INTA-SPASOLAB, Spain, et al.*

Quantifying Low Energy Proton Damage in Multijunction Solar Cells  
*S.R. Messenger, SFA Inc., USA, et al.*

## **Lithium Ion Life Testing**

*Chairs: N. Russel (AEA Technology plc) & Y. Sone (JAXA)*

GEO and LEO Life Testing and Life Estimation Model of JSB 100Ah Lithium Ion Cell  
*T. Inoue, Japan Storage Battery Co. Ltd., Japan, et al.*

LEO Life Testing Results of 100Ah Lithium Ion Cells – Update  
*M. Goto, MELCO (Mitsubishi Electric Corp.), Japan, et al.*

Update of Cycling and Calendar Tests Results of SAFT VES140 Lithium-Ion Cell  
*J-P. Semerie, SAFT Advanced Batteries, France, et al.*

Characterisation Testing of Small Capacity Commercial Lithium-Ion Battery Cells  
*H. Barde, EADS Astrium, France*

Investigations on the Use of Lithium-Ion Batteries for Spacecraft at the U.S. Naval Research Laboratory  
*J-C. Garner, U.S. Naval Research Laboratory, USA, et al.*

Electrical/Thermal Model of a Sony 18650HC Li-Ion Cell  
*G. Dudley, ESA/ESTEC, The Netherlands, et al.*

## **Manned Missions and Future Exploration**

*Chairs: S. King (EADS Astrium) & A. Polli (Galileo Avionica SpA)*

The Electrical Power System of HTV

*B. Kiewe, EADS Astrium, Germany, and T. Maejima, Mitsubishi Electric Corp., Japan.*

Energy Storage Technology Study for Future NASA Space Science Missions

*J. Mondt, Jet Propulsion Laboratory, USA, et al.*

Dot-Junction InGaAs Thermophotovoltaic (TPV) Converters for Space Applications

*S. Sinharoy, Essential Research Incorporated, USA, et al.*

Hydrocarbon Power System for Deep Atmospheric Planetary Probes

*P. Alcindor, Surrey Satellite Technology Ltd., United Kingdom, et al.*

POWOW Revisited – Beamed Power for Mars Exploration

*H.W. Brandhorst Jr. Auburn University, USA, et al.*

Segmented Thermoelectric Multicouple Converter Development

*J. Mondt & J.-P. Fleurial, Jet Propulsion Laboratory, USA*

## **Solar Generators On-Ground Testing and In-Orbit Data**

*Chairs: E. Rapp (CNES) & G. Summers (U.S. Naval Research Laboratory)*

Diagnostic Characterization of Space Solar Cells by Luminescence Spectroscopy and Mapping

*M. Tajima, JAXA, Japan, et al.*

Comparison of Three Different Methods for the Characterisation of Triple Junction GaAs Space Solar Cells

*H. Barde, EADS Astrium, France*

Investigation at Component and Power Sub-System Level into the Application of Protection Diodes for Multi-Junction Space Solar Cells

*F. Tonicello, ESA/ESTEC, The Netherlands, et al.*

Accuracy of Solar Cells Measured Electrical Parameters

*M. Hernández & A. Grás, INTA-SPASOLAB, Spain*

Applicability of the Damage Dose Concept to Ground Evaluation of Trijunction Solar Cells

*J-P. David, ONERA Centre de Toulouse, France, et al.*

Standards for Space Solar Cells and Arrays

*S. Bailey, NASA, USA, et al.*

Forward Technology Solar Cell Experiment

*R.J. Walters, U.S. Naval Research Laboratory, USA, et al.*

## **Power Supply Compatibility Issues**

*Chairs: F. Tonicello (ESA/ESTEC) & P. Rumler (ESA/ESTEC)*

COSMO-SkyMed Platform – SAR Payload Compatibility Aspects in the Power Distribution  
*E. Scorzafava, ASI - Agenzia Spaziale Italiana, Italy, et al.*

An Innovative, Flexible, Hybrid Active Input Filter for the International Space Station  
*G.F. Volpi, Laben SpA, Italy, et al.*

Small Signal Stability of the International Space Station/JEM Electric Power Network  
*M. Komatsu, JAXA, Japan, et al.*

## **Power Equipment Designs**

*Chairs: F. Tonicello (ESA/ESTEC) & P. Rumler (ESA/ESTEC)*

Quenching Circuit for Solar Array Power Arcing Events  
*J.E. Haines, ESA/ESTEC, The Netherlands*

Power Control and Distribution Unit for TerraSAR-X  
*G. Weishaar, EADS Astrium, Germany*

Generic 100V / High Power Bus Conditioning  
*W. Denzinger & W. Dietrich, EADS Astrium, Germany*

## **Earth Observation Spacecraft Missions**

*Chairs: G. Dakermanji (The Johns Hopkins University)  
& C. Delepaut (ALCATEL ETCA s.a.)*

CBERS-03 Satellite Power Supply Subsystem  
*M.C.P. Almeida, National Institute for Space Research (INPE) Brazil, et al.*

The Pleiades Electrical Power Supply Subsystem  
*D. Loche, EADS Astrium, France*

COSMO SkyMed EPS – Advanced Multijunction Solar Cells, Manufacturing & Testing  
*E. Scorzafava, ASI - Agenzia Spaziale Italiana, Italy, et al.*

PROTEUS Electrical Functional Chain: From NiCd to Li-Ion Battery  
*V. Michoud, CNES, France, et al.*

Power Subsystem In-Flight Behaviour  
*D. Loche & V. Cosculluela, EADS Astrium, France*

Microsat Solar Array Modular Concept Program Experience  
*Y. Combet & F. Buisson, CNES, France*

## **Other Energy Storage**

*Chairs: M. Schautz (ESA/ESTEC) & K. Green (QinetiQ)*

Development of High Energy Density Primary Battery

*K. Green, QinetiQ, United Kingdom, et al.*

Feasibility of Biomass-based Fuel Cells for Manned Space Exploration

*T. Pipoli, ESA/ESTEC, The Netherlands*

Polymer Electrolyte Fuel Cell System for the Micro-Gravitational and Closed Environment

*Y. Sone, JAXA, Japan, et al.*