

Reference Documents

References

- [1] [Ahuja93] Ahuja, R. K., Magnanti, T. L., Orlin, J. B., Network Flows: Theory, Algorithms, and Applications, Prentice-Hall, Englewood Cliffs, New Jersey, USA -1993.
- [2] [Arora97] S. Arora, L. Babai, J. Stern and Z. Sweedyk, "The Hardness of Approximate Optima in Lattices, Codes, and Systems of Linear Equations," J. Comput. System Sci. 54, pp. 317-331, 1997.
- [3] [Askne97] Askne, J.I.H.; Dammert, P.B.G.; Ulander, L.M.H.; Smith, G C-band repeat-pass interferometric SAR observations of the forest Geoscience and Remote Sensing, IEEE Transactions Volume: 35, Jan. 1997, Page(s): 25 -35
- [4] [Bamler92] Bamler, R. A comparison of range-Doppler and wave-number domain SAR focusing algorithms, IEEE Trans. GARS, 30(4):706-713, July 1992.
- [5] [Bamler95A] Bamler, R. and Schaettler B.. Phase-preservation in SAR processing: Definition, requirements and tests. DLR Tech, Note Ver 1.0, May 1995.
- [6] [Bamler95B] Richard Bamler. Optimum look weighting for burstmode and ScanSAR processing. IEEE Transactions on Geoscience and Remote Sensing, 33(3):722-725, May 1995.
- [7] [Bamler96] Bamler, R. and Einder. ScanSAR processing using standard high precision SAR algorithms, IEEE Trans. GARS, 34(1):212-218, 1996
- [8] [Bamler98A] Bamler, R., Hartl, P., Synthetic Aperture Radar Interferometry, Inverse Problems, Vol. 14, 1998, R1 – R54.
- [9] [Bamler98B] Bamler, R.; Adam, N.; Davidson, G.W.; Just, D. Noise-induced slope distortion in 2-D phase unwrapping by linear estimators with application to SAR interferometry, IEEE Trans. GARS, Vol. 36, N. 3, May 98, pp. 913 – 921
- [10] [Bamler99] Bamler, R., D. Geudtner, B. Schättler, P. Vachon, U. Steinbrecher, J. Holzner, J. Mittermayer, H. Breit, and A. Moreira, Radarsat ScanSAR interferometry, in Proc. IGARSS'99, Hamburg, Germany, June 1999.
- [11] [Berry2000] Berry, P. A. M., Pinnock, R. A., Johnson, C. P. D., Hilton, R. D., 2000c, ACE: A New Global Digital Elevation Model Incorporating Satellite Altimeter Derived Heights
- [12] [Carter87] G Clifford Carter. Coherence and time delay estimation. Proceedings of the IEEE, 75(2):236-255, February 1987.
- [13] [Cattabeni94] Cattabeni, M., Monti-Guarnieri A., and Rocca F. Estimation and improvement of coherence in SAR interferograms. In IGARSS94, Pasadena, CA, USA, 8-12 August 1994, pages 720-722, 1994.
- [14] [Chen00] Curtis W. Chen and Howard A. Zebker, "Network approaches to two-dimensional phase unwrapping: intractability and two new algorithms," Journal of the Optical Society of America A, volume 17, pp. 401-414, March 2000.
- [15] [Closa98] J.Closa "The Influence of Orbit Precision in the Quality of ERS SAR Interferometric Data" Document No: ES-TN-APP-APM-JC01 – June 1st, 1998 http://earth.esa.int/rootcollection/sysutil/ORB_QL.html

- [16] [Costantini98] Costantini, M. A novel phase unwrapping method based on network programming, 1998, IEEE Trans. GARS, 36 (3), 813 – 821.
- [17] [Costantini99] Costantini, M.; Farina, A.; Zirilli, F., A fast phase unwrapping algorithm for SAR interferometry, IEEE Trans. GARS, Vol. 37, N. 1, Jan. 99, pp. 452 – 460
- [18] [Cumming97] Cumming I. G. A comparison of phase preserving algorithms for burst-mode SAR data processing. In IGARSS97, Singapore, 3–8 Aug 1997, volume 2, pages 731–733, 1997.
- [19] [Curlander82] J.C. Curlander “Location of Spaceborne SAR Imagery,” IEEE Trans. Geosci. and Remote Sensing, GE-20, pp. 359-364, 1982.
- [20] [Curlander91] Curlander J C and R N McDonough. Synthetic aperture radar: systems and signal processing. John Wiley & Sons, Inc, 1991.
- [21] [Currie92] Currie A and M A Brown. Wide-swath SAR. IEE Proceedings F, 139(2):123-135, 1992.
- [22] [Dammert99] Dammert, P.B.G.; Askne, J.I.H.; Kuhlmann, S. Unsupervised segmentation of multitemporal interferometric SAR images, IEEE Trans. GARS, Volume: 37 5 1 , Sept. 1999 , Page(s): 2259 -2271
- [23] [Davidson99] Davidson, G. W., and Bamler, R., “Multiresolution Phase Unwrapping for SAR Interferometry “, IEEE Trans. Geosci. Remote Sensing, 37, 1999, 163-174.
- [24] [DEOS] Delft Institute for Earth-Oriented Space Research (DEOS) - Orbit Determination. <http://www.deos.tudelft.nl/ers/precorbs/>
- [25] [DESCW] <http://earth.esa.int/services/descw>
- [26] [Dixon94] Dixon, T., Editor, “SAR Interferometry and Surface Change Detection”, Report of the Workshop in Boulder, February 3 and 4, 1994, <http://southport.jpl.nasa.gov/scienceapps/dixon/index.html>
- [27] [DPAF] The German Processing and Archiving Facility: http://www.gfz-potsdam.de/pb1/ERS/GPM/GPM_DPAF.html
- [28] [Eineder99] Eineder, M., Holzner, J., “Phase unwrapping of low coherence differential interferograms”, in Proc. IGARSS’99, Hamburg, Germany, June 1999
- [29] [Engdahl01] Engdahl, M., Borgeaud, M., Rast, M. Use of ERS 1 / 2 tandem interferometric coherence in the estimation of agricultural crop heights, IEEE Trans GARS, 2001, Vol. 39, N. 8, pp 1799 –1806.
- [30] [EOLI] <http://www.eoli.esa.int>
- [31] [ESOC] “ESOC orbit products”, <http://nng.esoc.esa.de/ers/intro.html>
- [32] [Feigl95] Feigl, K.L., A. Sergent and D. Jacq, Estimation of an earthquake focal mechanism from a satellite radar interferogram: application to the Dec. 4 1992 Landers aftershock. Geoph. Res. Letter, 22, 1037-1048, 1995
- [33] [Ferretti00] Ferretti A., Prati C. and Rocca F.: Nonlinear subsidence rate estimation using Permanent Scatterers in differential SAR IEEE Trans. GARS Vol. 38, pp. 2202 – 2212, September 2000.
- [34] [Ferretti01] Ferretti A., Prati C. and Rocca F.: Permanent scatterers in SAR interferometry IEEE Trans. GARS - January 2001, Vol. 39, N.1. pp 8 –20.
- [35] [Ferretti96A] Alessandro Ferretti, “Generazione di mappe altimetriche da osservazioni SAR multiple”, Ph. D. Thesis, Politecnico di Milano, 1997.

- [36] [Ferretti96B] Ferretti A., Monti Guarnieri A., Prati C. and Rocca F.: "Multi Baseline Interferometric Techniques and Applications"; Proc. FRINGE 96 Workshop - Zurich, (1996), <http://www.geo.unizh.ch/rsl/fringe96/>. ESA SP-406 pp243-252
- [37] [Ferretti97] A Ferretti, C Prati, F Rocca, and A Monti Guarnieri. "Multibaseline SAR interferometry for automatic DEM reconstruction," Proc. 3rd ERS Symposium, Florence, Italy, 17-21 March 1997, ESA SP-414, pp. 1809-1820, 1997.
- [38] [Ferretti98] Ferretti A., Monti-Guarnieri A., Prati C., Rocca F., "Multi-image DEM Reconstruction" - Proceedings IGARSS'98 International Geoscience and Remote Sensing Symposium, 6-10 July 1998, Seattle, USA.
- [39] [Ferretti99] Ferretti A., Prati C. and Rocca F.: Multibaseline INSAR DEM reconstruction, the wavelet approach IEEE Trans. GARS, 37, (1999) pp. 705-715.
- [40] [Fliege94] Norbert J Fliege, Multirate digital signal processing, John Wiley & Sons, Ltd. New York, 1994.
- [41] [Flynn97] T.J. Flynn, "Two-dimensional phase unwrapping with minimum weighted discontinuities," J. Opt.Soc.Am.A, 14, pp. 2692-2701, 1997.
- [42] [Fornaro01] Fornaro G. and A. Monti Guarnieri. Minimum Mean Square Error Space-Varying Filtering Of Interferometric SAR Data, IEEE Trans. GARS, 39, 2001
- [43] [Fornaro95] Fornaro, G.; Franceschetti, G, Image registration in interferometric SAR processing Radar, Sonar and Navigation, IEE Proceedings - , Volume: 142 Issue: 6 , Dec. 1995 Page(s): 313 -320
- [44] [Fornaro96] Fornaro, G., Franceschetti, G., Lanari, R. Interferometric SAR Phase unwrapping using Green's formulation, IEEE Trans. GARS, Vol. 34, N. 3, May 1996, pp. 720 – 727
- [45] [Franceschetti99] Franceschetti, G. and Lanari R.: Synthetic Aperture Radar Processing, CRC Press - 1999.
- [46] [Friedlander96] B. Friedlander and J. M. Francos, "Model Based Phase Unwrapping of 2-D Signals," IEEE Trans. Signal Process., vol. 44, pp. 2999-3007, December 1996.
- [47] [Gabriel88] A. Gabriel, R. Goldstein, Crossed orbits interferometry: theory and experimental results from SIR-B, International Journal on Remote sensing, No.5, pp. 857-872, 1988.
- [48] [Gabriel89] Gabriel A.K., Goldstein, R.M. and Zebker H.A. Mapping small elevation changes over large areas: differential radar interferometry, J. of Geophy. Research, 94, 9183-9191, 1989.
- [49] [Garey79] M.R. Garey and D.S. Johnson, Computers and Intractability: A Guide to the Theory of NP-Completeness, Freeman, San Francisco, 1979.
- [50] [Gatelli94] Gatelli F., Monti Guarnieri A., Parizzi F., Pasquali P., Prati C. and Rocca F.: IEEE Transactions on Geoscience and Remote Sensing , 32, (1994) pp. 855-865.
- [51] [Gens96] R Gens and J L van Genderen. "Review article: Sar interferometry-- issues, techniques, applications," International Journal for Remote Sensing, 17(10):1803-1835, 1996.

- [52] [Ghiglia96] D.C. Ghiglia and L.A. Romero “Minimum Lp-norm two-dimensional phase unwrapping,” *Journal of the Optical Society of America A*, Vol.13, No.10, pp. 1-15, October 1996.
- [53] [Ghiglia98] Ghiglia D.C. and Pritt M.D.: in *Two-Dimensional Phase Unwrapping - Theory, Algorithms, and Software*, John Wiley and Sons - 1998.
- [54] [Goldstein88] Goldstein, R., Zebker, H., Werner, C., *Satellite radar interferometry: two dimensional phase unwrapping*, *Radio Science*, Vol. 23, N. 4, pp. 713 – 720, Aug. 1988.
- [55] [Goldstein95] R. Goldstein, “Atmospheric Limitations to repeat-pass Interferometry”, *Geophysical Research Letters*, vol. 22, no. 18, pp. 2517-2520, September 1995.
- [56] [Goldstein98] Richard M Goldstein and Charles L Werner. Radar interferogram filtering for geophysical applications. *Geophysical Research Letters*, 25(21):4035-4038, November 1998.
- [57] [Goodman63] N R Goodman. Statistical analysis based on a certain multivariate complex Gaussian distribution (an introduction). *The annals of mathematical statistics*, 34(1):152-177, March 1963.
- [58] [Graham74] L.C. Graham. Synthetic interferometer radar for topographic mapping. *Proceedings of the IEEE*, 62(6):763-768, June 1974.
- [59] [GTOPO] <http://edc.usgs.gov/products/elevation/gtopo30/gtopo30.html>
- [60] [Hanssen98] Hanssen R., *Assessment of the role of Atmospheric heterogeneities in ERS Tandem SAR interferometry - Delft University Press, DEOS Report no 12698.1, 1998, Delft, the Netherlands.*
- [61] [Hanssen99] Ramon Hanssen and Richard Bamler. Evaluation of interpolation kernels for SAR interferometry. *IEEE Trans. on Geoscience and Remote Sensing*, 37(1):318-321, January 1999.
- [62] [Hernandez96] Hernandez, B., Cotton, F., Campillo, M. and Massonnet, D., A comparison between short-term (co-seismic) and long term (one year) slip for the Landers earthquake: Measurements from strong motion and SAR interferometry, *Geophys. Res. Lett.*, 1997. 24(13): p. 1579-1582
- [63] [INSI] <http://earth.esa.int/images/INSI/>
- [64] [Just94] Just D., and Bamler, R. Phase statistics of interferograms with applications to synthetic aperture radar. *Applied Optics*, 33(20):4361-4368, 1994.
- [65] [Kohlhase99] A. Kohlhase and K. Feigl “Measuring the quality of precise orbits by applying InSAR: an approach to avoid orbital tuning”, *Proc. FRINGE’99 – Liege, Belgium -November 1999. ESA SP-478*
- [66] [Kooij99] M. Van Der Kooij, “Production of DEMs from ERS tandem Data,” *Proc. FRINGE’99 – Liege, Belgium -November 1999. ESA SP-478*
- [67] [Koskinen01] Koskinen, J., Pulliainen, J., Hyypaa, M., Engdahl, M., Hallikainen, M., The seasonal behavior of interferometric coherence in boreal forest, *IEEE Trans GARS*, Vol. 39, Apr. 2001, pp. 820 – 829
- [68] [Kramer96] R. Kramer O. Loffeld, “Presentation of an improved Phase Unwrapping Algorithm based on Kalman filters combined with local slope estimation”, *Proc. FRINGE’96 – Zurich – September 1996. – ESA SP-406 pp253-260* <http://www.geo.unizh.ch/rsi/fringe96/papers/kraemer-loffeld/>

- [69] [Laakso96] Timo I Laakso, Vesa Valimäki, Matti Karjalainen, and Unto K Laine. Splitting the unit delay. *IEEE Signal processing magazine*, pages 30-60, January 1996.
- [70] [Lanari98] Lanari R, S Hensley, and P A Rosen. Chirp z-transform based SPECAN approach for phase preserving ScanSAR image generation. *IEE Proceedings Radar Sonar Navigation*, 145(5):255-261, 1998
- [71] [Laur98] Laur, H., P Bally, P Meadows, J Sanchez, B Schättler, E Lopinto, and D Esteban. Derivation of the backscattering coefficient sigma nought in ESA ERS SAR PRI products. Technical Report ES-TN-RS-PM-HL09, ESA, September 1998. Issue 2, Rev. 5b.
- [72] [Lee94] Lee J.S., Hoppel K.W., Mango S.A., and Miller: Intensity and phase statistics of multilook polarimetric and interferometric sar imagery. *IEEE Trans. GARS*, 30:1017, 1994
- [73] [Lee98] Jong-Sen Lee, Konstantinos P Papathanassiou, Thomas L Ainsworth, and Mitchell R. Grunes and Andreas Reigber. A new technique for noise filtering of sar interferometric phase images. *IEEE Trans. on Geoscience and Remote Sensing*, 36(5):1456-1465, September 1998.
- [74] [Li90] F.K. Li and RM. Goldstein. Studies of multibaseline spaceborne interferometric synthetic aperture radars. *IEEE Trans. on Geoscience and Remote Sensing*, 28(1):88-97, January 1990.
- [75] [Lin92] Qian Lin, John F. Vesecky, Howard A. Zebker}, New approaches in Interferometric SAR *IEEE Trans. on Geoscience and Remote Sensing*, 30(3):560-567, may 1992.
- [76] [Lu2000] Lu Z., D. Mann, J. T. Freymueller, and D. J Meyer. Synthetic aperture radar interferometry of Okmok volcano, Alaska: Radar observations. *Journal of Geophysical Research*, 105(B5):10791-10806, May 2000.
- [77] [Luca96] D. Luca, M. Datcu and K. Seidel, "Multiresolution Analysis of DEMs: Error and Artifact Characterization" Proc. FRINGE'96 – Zurich, Switzerland - October 1996. ESA SP-406 pp61-68 <http://www.geo.unizh.ch/rsl/fringe96/>
- [78] [Madsen93] S N Madsen, H A Zebker, and J Martin. Topographic mapping using radar interferometry: Processing techniques. *IEEE Trans. on Geoscience and Remote Sensing*, 31(1):246-255, January 1993.
- [79] [Massmann97] F.-H. Massmann, K.H. Neumayer, J.C Raimondo, K. Enninghorst and H. Li "Quality of the D-PAF ERS Orbits before and after the Inclusion of PRARE Data", Proc. 3rd ERS Symposium, 1997, ESA SP-414 Vol. III, pp1655-1660.
- [80] [Massonnet00] "Phasemap, a simple software intended to give an efficient access to interferometry", ERS-Envisat symposium, Göteborg, 16-20 October 2000, ESA SP-461 Filename 415masso.pdf
- [81] [Massonnet01] Massonnet D., The interferometric cartwheel, a constellation of low cost receiving satellites to produce radar images that can be coherently combined, *International J. Rem. Sensing*, 2001.
- [82] [Massonnet93] Massonnet, D., Rossi, M. , Carmona, C., Adragna, F. , Peltzer, G., Feigl, K. and Rabaute, T., The displacement field of the Landers earthquake mapped by radar interferometry. *Nature*, 1993. 364: p. 138-142. Cover paper
- [83] [Massonnet94] Massonnet, D., Feigl, K., Rossi, M. and Adragna, F., Radar interferometric mapping of deformation in the year after the Landers earthquake. *Nature*, 1994. 369: p. 227-230.

- [84] [Massonnet95A] Massonnet, D. and K.L. Feigl, Discrimination of geophysical phenomena in satellite radar interferograms. *Geophys. Res. Lett.*, 1995. 22(12): p. 1537-1540
- [85] [Massonnet95B] Massonnet, D. and H. Vadon, ERS-1 Internal clock drift measured by interferometry. *IEEE Trans. Geoscience & Rem. Sensing*, 1995. 33(2): p. 401-408
- [86] [Massonnet95C] Massonnet, D., P. Briole, and A. Arnaud, Deflation of Mount Etna monitored by spaceborne radar interferometry. *Nature*, 1995. 375: p. 567-570
- [87] [Massonnet96] Massonnet, D., W. Thatcher, and H. Vadon, Detection of Postseismic Fault Zone Collapse following the Landers Earthquake. *Nature*, 1996. 382: p. 612-616
- [88] [Massonnet98] D. Massonnet and K.L. Feigl, "Radar interferometry and its application to changes in the earth's surface. *Reviews of Geophysics*, 36(4):441-500, November 1998.
- [89] [Moeremans99] B. Moeremans and S. Dautrebande The Use of ERS SAR Interferometric Coherence and PRI Images to Evaluate Crop Height and Soil Moisture, *Fringe 99*, ESA SP-478
- [90] [MontiGuarnieri00] A. Monti Guarnieri, A. Ferretti, Visibility of Permanent Scatterers by ScanSAR, in *proc EUSAR 2000* (Munich, Germany), May, 23-25, 2000, pp. 725-728, 2000.
- [91] [MontiGuarnieri01A] Monti Guarnieri A, Pietro Guccione. Optimal "focusing" for low resolution ScanSAR. In *IEEE Trans. GARS*, 39(3):479-491, Mar 2001
- [92] [MontiGuarnieri01B] A Monti Guarnieri, et al, ASAR ScanSAR Interferometrics Products, Software Requirement Document, ESA contract report, contract N. 14143/00/NL/GD.
- [93] [MontiGuarnieri93] Monti Guarnieri A, C Prati, and F Rocca. SAR interferometric quick-look. In *IGARSS93*, Tokyo, Japan, 18-21 August 1993, pages 988-990, 1993.
- [94] [MontiGuarnieri96A] Monti Guarnieri A. and Claudio Prati. ScanSAR focusing and interferometry. *IEEE Trans. GARS*, 34(4):1029-1038, July 1996.
- [95] [MontiGuarnieri96B] Monti Guarnieri, A.. Residual sar focusing: an application to coherence improvement. *IEEE Trans. GARS*, 34(1):201-211, January 1996.
- [96] [MontiGuarnieri97] Monti Guarnieri A and Claudio Prati. SAR interferometry: A "quick and dirty" coherence estimator for data browsing. *IEEE Trans. GARS*, 35(3):660-669, May 1997.
- [97] [MontiGuarnieri99A] A Monti Guarnieri and F Rocca. Combination of low- and high-resolution SAR images for differential interferometry. *IEEE Trans. on Geoscience and Remote Sensing*, 37(4): 2035-2049, July 1999.
- [98] [MontiGuarnieri99B] Monti Guarnieri A and C Prati. An interferometric quick-look processor *IEEE Trans. GARS*, 37(2):861-866, 1999.
- [99] [Moore81] Moore R K, J P Claassen, and Y H Lin. Scanning spaceborne Synthetic Aperture Radar with integrated radiometer. *IEEE Trans. AES*, 17(3):410-420, 1981.
- [100] [Moreira00] Moreira A. and R Schreiber. Coregistration of interferometric SAR images using spectral diversity *IEEE Trans. GARS*, 38(5):2179-2191, 2000.

- [101] [Moreira96] Moreira A., J Mittermayer, and R Schreiber. Extended chirp scaling algorithm for air and spaceborne SAR data processing in stripmap and ScanSAR imaging modes. *IEEE Trans. GARS*, 34(5):1123-1136, 1996.
- [102] [Muller99] J.P. Muller, "The LANDMAP project for the creation of multi-sensor geocoded and topographic map products for the British Isles based on ERS-tandem interferometry," *Proc. FRINGE'99*, November 1999. ESA SP-478
- [103] [Murru99] Murru M., Montuori C., Wyss M., Privitera E. (1999): The location of magma chambers at Mt. Etna, Italy, mapped by b-Values; *Geophys. Res. Letts.*, Vol. 26, N. 16, pp2553-2556.
- [104] [Pasquali94] P Pasquali, R Pellegrini, C Prati, and F Rocca. Combination of interferograms from ascending and descending orbits. In *International Geoscience and Remote Sensing Symposium*, Pasadena, CA, USA, 8-12 August 1994, pages 733-735, 1994.
- [105] [Pasquali98A] P. Pasquali, O. Stebler, D. Small, F. Holecz, and D. Nuesch. SAR Polarimetric Interferometry Experiments, PIERS Workshop on Advances in Radar Methods, Baveno, July 20-22, 1998.
- [106] [Pasquali98B] P. Pasquali, D. Small, F. Holecz, A. Schubert, E. Meier, D. Nuesch, Study of the ENVISAT ASAR alternate polarization mode: preliminary results, *Proceedings of EUSAR Symposium*, Friedrichshafen, May, 25-27 1998, pp. 335-338.
- [107] [Peltzer96] Peltzer, G, P. Rosen, F. Rogez and K. Hudnut, Post seismic in fault step overs caused by pore fluid flow, *Science*, 273, 1202-1204, 1996
- [108] [Peltzer96] G. Peltzer, "Monitoring of Ground Subsidence," <http://www.esrin.esa.it/esrin/eos/mon2.html>
- [109] [Prati90A] Prati, C., Giani, M., Leuratti, N., SAR Interferometry: a 2D Phase Unwrapping Technique Based on Phase and Absolute Value Informations, In *International Geoscience and Remote Sensing Symposium*, Washington, pp. 2043-2046, 1990.
- [110] [Prati90B] Prati, C.; Rocca, F.; Guarnieri, A.M.; Damonti, E. Seismic Migration For Sar Focusing: Interferometrical Applications *IEEE Trans. GARS*, Volume: 28 Issue: 4, July 1990 Page(s): 627 -640
- [111] [Prati92] C Prati and F Rocca. Range resolution enhancement with multiple SAR surveys combination. In *International Geoscience and Remote Sensing Symposium*, Houston, Texas, USA, May 26-29 1992, pages 1576-1578, 1992.
- [112] [Prati93] Prati C., and F Rocca, Improving Slant-Range Resolution With Multiple SAR Surveys, *IEEE Trans. AES* 1993 jan, vol 29(1), pp 135-144.
- [113] [Prati94A] Prati C., F. Rocca, 1994, Process for generating Synthetic Aperture Radar Interferograms, U.S. Patent N.5,332,999, July 26.
- [114] [Prati94B] Prati C., Rocca F., Monti Guarnieri A., Pasquali P.: Interferometric Techniques and Applications - ESA Study Contract Report. Contract N.3-7439/92/HGE-I.C.
- [115] [Pritt97] M.D. Pritt, "Congruence in Least-Squares Phase Unwrapping," In *International Geoscience and Remote Sensing Symposium*, Singapore, 3-8 August 1997, pp. 875-877, 1997.
- [116] [Ranson99] Ranson K. Jon, Guoqing, Sun; Forest Disturbance Characterization Using ERS Tandem Data, *Fringe 99*, ESA SP-478

- [117] [Reigber96] Reigber C., Xia Y., Kaufmann H., Massmann F., Timmen L., Bodechtel J. and Frei M.: "Impact of precise orbits on SAR interferometry", Proc. FRINGE 96 Workshop - Zurich, (1996), ESA SP-406 pp223-232.
- [118] [Rignot98] Rignot, E.J., Fast recession of a west Antarctic glacier, *Science*, 281, page 549-551, 1998
- [119] [Rocca94] Rocca F., Prati C., Pasquali P., Monti Guarnieri A., "ERS-1 SAR Interferometry techniques and applications", ESA contract report n.3-7439/92/HGE-I, 1994.
- [120] [Rodriguez92] E Rodriguez and J M Martin. Theory and design of interferometric synthetic aperture radars. *IEE Proceedings-F*, 139(2):147-159, April 1992.
- [121] [Rosen00] Rosen, P., Hensley, S., Joughin, I., Li, F., Madsen, S., Rodriguez, E., Goldstein, R., Synthetic Apertura Radar Interferometry, Proc. IEEE March 2000, pp. 333 – 379.
- [122] [Rosich96] Rosich Tell B. and H Laur. Phase preservation in sar processing: the interferometric offset test. In *IGARSS96*, Lincoln, Nebraska, USA, 27-31 May 1996.
- [123] [Rott96] Rott, H. Siegel, A., Glaciological Studies in the Alps and in Antarctica using ERS interferometric SAR, Proc. Fringe 1996, ESA SP-406 Vol. 2, pp. 149 – 159.
- [124] [Sandwell98] Sandwell, D.T. and E.J. Price, Phase gradient approach to stacking interferograms, *JGR*, vol.103, pages 30183-30204, 1998
- [125] [Scharroo94] Scharroo, R., K. F. Wakker, and G. J. Mets, The orbit determination accuracy of the ERS-1 mission, in *Proceedings of the Second ERS-1 Symposium*, Hamburg, Germany, 11-14 October 1993, ESA SP-361, vol. 2, edited by B. Kaldeich, pp. 735-740, 1994.
- [126] [Scharroo97] Remko Scharroo and Pieter N. A. M. Visser "ERS Tandem Mission orbits: is 5 cm still a challenge?", Proc ERS International Symposium – ESA SP-414 pp1643-1648, 1997
- [127] [Schmullius99] C. Schmullius, A. Holz, U. Marschalk, A. Roth, J. Vietmeier, W. Wagner Operational Readiness of ERS SAR Interferometry for Forest Mapping in Siberia, *Fringe 99*, ESA SP-478
- [128] [Schreier93] Gunter Schreier, editor. *SAR Geocoding: data and systems*. Wichmann Verlag, Karlsruhe, 1993.
- [129] [Schwartzman94] Schwartzman, N., Freund, I., Wave field phase singularities: near neighbor correlations and anticorrelations, *JOSA Vol. 11, N. 10*, October 1994, pp. 2710 – 2718
- [130] [Seymour94] M S Seymour and I G Cumming. Maximum likelihood estimation for SAR interferometry. In *International Geoscience and Remote Sensing Symposium*, Pasadena, CA, USA, 8-12 August 1994, pages 2272-2275, 1994.
- [131] [Sharp92] Sharp, R. EOS, *Transactions AGU* vol 73, no. 43, p380, 1992
- [132] [Small96] D. Small, P.Pasquali, and S.Fuglistaler, "A Comparison of Phase to Height Conversion Methods for SAR Interferometry" – Proc. *IGARSS'96* – Lincoln, Nebraska – USA – 27-31 May 1996.
- [133] [Small98] D. Small, "Generation of Digital Elevation Models through Spaceborne SAR Interferometry" – PhD Thesis – Remote Sensing Labs – University of Zurich – 1998.

- [134] [SNAPHU] http://www-star.stanford.edu/sar_group/snaphu/
- [135] [Solaas94] Gaute Aarbakke Solaas. Ers-1 interferometric baseline algorithm verification. Technical Report ES-TN-DPE-OM-GS02, ESA-ESRIN, March 1994.
- [136] [Spagnolini95] Umberto Spagnolini. 2-D phase unwrapping and instantaneous frequency estimation. IEEE Trans. on Geoscience and Remote Sensing, 33(3):579-589, May 1995.
- [137] [SRTM] “Shuttle Radar Topography Mission - Mapping the World in Three Dimensions”, <http://www.jpl.nasa.gov/srtm/>
- [138] [Stan00] S. Stan, W. Knoepfle, D. Scales, “Registration of Ascending-Descending SAR Images for the SRTM Mission,” Proc. EUSAR2000, 23-25 May 2000, Munich, Germany.
- [139] [Strang97] G. Strang and K. Borre, Linear Algebra, Geodesy, and GPS – Wellesley-Cambridge Press - 1997.
- [140] [Suess98] Suess M., M. Völker, J. J. W. Wilson and C. H. Buck, Superresolution: range resolution improvement by coherent combination of repeat pass SAR images, Proc. EUSAR98 (Friedrichshafen, Germany), 25-27 May, 1998, pp 565-569
- [141] [Tarayre96] Tarayre, H., and Massonnet, D., 1996, Atmospheric propagation inhomogeneities revealed by ERS-1 interferometry, Geophysical Research Letters, 23 (9) 989 – 992.
- [142] [Tebaldini05] A. Monti Guarnieri, S. Tebaldini, Channel phase estimate in time variant SIMO systems, in Proc. ICASSP 2006, (Toulouse, France), May 14-19, 2006, Page(s): IV-817 - IV-820
- [143] [Touzi99] Touzi, R.; Lopes, A.; Bruniquel, J.; Vachon, P.W.; Coherence estimation for SAR imagery; Geoscience and Remote Sensing, IEEE Transactions on Volume 37, Issue 1, Part 1, pp:135 – 149, Jan. 1999.
- [144] [Touzi96] Ridha Touzi and Armand Lopes. Statistics of the Stokes parameters and of the complex coherence parameters in one-look and multilook speckle fields. IEEE Trans. on Geoscience and Remote Sensing, 34(2):519-531, March 1996.
- [145] [USGS] GTOPO30 Documentation <http://edcdaac.usgs.gov/gtopo30/README.html>
- [146] [Villasenor92] Villasenor J., and Howard A Zebker. Studies of temporal change using radar interferometry. In Proceedings of the SPIE, volume 1630, pages 187-198, 1992.
- [147] [Wackernagel98] H. Wackernagel, “Multivariate Geostatistics – 2nd Edition” – Springer-Verlang – 1998.
- [148] [Walker98] Walker N. P., Stefano Mica, and Henri Laur. The ERS interferometric quick look processor: a powerful system to assess and exploit the ERS tandem archive for land-use information retrieval. Publication off-print, 1998
- [149] [Weber00] Weber Hoen, E., Zebker, H., Penetration Depths inferred from interferometric volume decorrelation observed over the Greenland Ice Sheet, IEEE Trans. GARS, Vol. 38, N. 6, Nov. 2000, pp. 2571 - 2583

- [150] [Wegmüller97] Wegmüller U., “Soil Moisture Monitoring With ERS SAR Interferometry.” In Proceedings of the third ERS Symposium, ESA SP-414 pp47-52, 1997.
- [151] [Werner93] C. L. Werner, S. Hensley, R. M. Goldstein, P. A. Rosen and H. A. Zebker, “Techniques and Applications of SAR Interferometry for ERS-1: Topographic Mapping, Change Detection and Slope Measurement,” Proc. 1st ERS-1 Symposium - Cannes, France, 4-6 November 1992 - ESA SP-359 pp205-210 - March 1993.
- [152] [Weydahl01] Weydahl, D. J., Analysis of ERS Tandem Coherence from glaciers, valleys and fjord ice in Svalbard, IEEE Trans GARS, Vol. 39, Sept. 2001, pp. 2029 – 2039
- [153] [Wornell93] G. W. Wornell, “Wavelet-Based Representations for the 1/f Family of Fractal Processes” IEEE Proceedings, vol. 81, no. 10, pp. 1428-1450, Oct. 1993.
- [154] [Xu99] Wei Xu and Ian Cumming. “A region-growing algorithm for InSAR phase unwrapping,” IEEE Trans. on Geoscience and Remote Sensing, 37(1):124-134, January 1999.
- [155] [Zebker86] H.A. Zebker and R.M. Goldstein “Topographic mapping from interferometric synthetic aperture radar observations” Journal of Geophysical Research, 91(B5):4993-4999, April-10, 1986.
- [156] [Zebker92] H.A. Zebker and J. Villasenor. Decorrelation in interferometric radar echoes. IEEE Trans. on Geoscience and Remote Sensing, 30(5), pp. 950-959, September 1992.
- [157] [Zebker94A] Zebker, H.A., C.L. Werner, P. Rosen, and S. Hensley, “Accuracy of topographic maps derived from ERS-1 radar interferometry”, IEEE Trans. on Geoscience and Remote Sensing, Vol. 32, No. 4, pp 823-836, July 1994
- [158] [Zebker94B] Zebker, H. A., P.A. Rosen, R.M. Goldstein, A. Gabriel, and C.L. Werner, On the derivation of coseismic displacement fields using differential radar interferometry: The Landers earthquake, J. of Geophysical Research, 99, 19617-19634, 1994
- [159] [Zebker97] H.A. Zebker and P. Rosen, “Atmospheric Artifacts in Interferometric SAR Surface Deformation and Topographic Maps” J.Geophys.Res.- Solid Earth – vol. 102 (B4), pp. 7547-7563, 1997.